

# TEDDICO

## LIGHTING SPECIFICATION SHEET

### LARGE FLOODLIGHT

#### APPLICATION:

Industrial applications for commercial and retail use, warehouses, factories, supermarkets.

#### ELECTRICAL

UL and CSA<sub>us</sub> listed for wet and damp locations.

#### HOUSING

Die Cast housing with a chromate conversion coating and a textured bronze finish with tempered glass lens.



#### DIMENSIONS

	<i>Width</i>	<i>Height</i>	<i>Depth</i>
LFL250MH	16 1/2"	17"	7 1/8"

#### REFLECTOR

The large floods come with an anodized aluminum reflector.

#### BALLAST

Class H insulated, NPF 120v 60Hz reactor  
High pressure sodium. Metal halide Multi-tap.

#### ADDITIONAL FEATURES

- Uses Standard lamp vs. reduced envelope
- External accessibility wiring compartment
- Ballast mounting bracket

### ORDERING INFORMATION

Catalog Number	Wattage	Voltage/Ballast
<b>METAL HALIDE</b>		
LFL250MH	250	Multi-Tap
LFL400MH	400	Multi-Tap
LFL320PSMH	320	Multi-Tap
<b>HIGH PRESSURE SODIUM</b>		
LFL250	250	Multi-Tap
LFL400	400	Multi-Tap

#### ACCESSORIES

Wire Guard - WG
Glareshield - GS
Small Mounting Yoke - SMY
Large Mounting Yoke - LMY
Large "Handle" Yoke - LHY
Pole Tenon Mount - PTM
Polycarbonate Guard - PG

# TEDDICO

## LIGHTING SPECIFICATION SHEET

### LARGE FLOOD ACCESSORIES

Accessory	New Model #	Fits Fixture Model #'s
Wireguard	FL73WG	All Large Floods
Glareshield/Cutoff	FL70GS	FL70
Glareshield	AL73GS	AL72, AL73
Back Cutoff	AL73GSB	AL72, AL73
Baffle	FL70BF	FL70
PC Guard	FL73LG	All Large Floods
Standard Reflector	FL70ARS	FL70
I.E.S. Type 5 Reflector	FL70AR5	FL70
Forward Throw	FL70ARF	FL70
Parking (Wide Angle)	FL70ARW	FL70
Cutoff	AL70ARC	AL72, AL73
Vertical Mount	AL72AR	AL72
Horizontal Mount	AL73AR	AL73
Cobra Style Reflector	AL74CHR	AL74
Half-Open Frame	FL70TF	FL70
Full-Open Frame	AL73TF	AL72, AL73, AL74



# TEDDICO

## LIGHTING SPECIFICATION SHEET

### LARGE FLOOD MOUNTING HARDWARE

#### LARGE "HANDLE" YOKE

Heavy duty stamped steel with a bronze finish. A "No Tools Needed" aiming adjustment.

#### SWIVEL BRACKET


Stamped two-piece bracket complete with hardware and a bronze finish. It is also available with liquid tight connector.

#### SLIP FITTER

Die cast bracket with mounting hardware and angle indicators, a coin plug for photocell, and a bronze finish. Also available with 2' of U.L. listed 16/3 STW cord with one end blunt cut, opposite end jacket stripped 6", leads stripped fi", and the ring terminal on green wire.

#### EXTERNAL MOUNT SLIP FITTER

The new design allows external mounting, so there is no need to open the fixture! Die cast with a bronze finish, and hardware and angle indicators with a coin plug for photocell.



#### SLIP FITTER COVER

Cover with 1" coin plug allows use of a socket for angle adjustment assembly. There is no need to remove the cover plate!

#### EXTRUDED MOUNTING

Extruded aluminum with a textured bronze finish. Includes gasket and hardware. Available in 6", 10", 12", and 18".

#### HEAVY DUTY DIRECT MOUNT POLE

Die cast adjustable arm with two access panels, textured bronze finish. All hardware is included.

Accessory	New Model #	Fits Fixture Model #'s
Swivel Bracket	FL73BR	All Large Floods
Bracket w/Cord & Conn.	FL73BRC	
Bracket w/ Conn.	FL73BRL	
Slip Fitter	FL73SF	All 16" Floods
Slip Fitter with Cord	FL73SFC	
External Mount SF	FL73SFX	
1" Coin Plug Slipfitter Cover	FLSFCP1	All Slip Fitters
Aluminum	FLEM6*	All Large Floods
Extruded	FLEM10*	
Mounting Arms	FLEM12*	
	FLEM18*	
*Specify Mounting: Straight Arms: "S" - Square Pole, "R" - Round Pole		
Angled Arms: "AS" Square Pole "R" - Round Table		
Handle Yoke	FL73HY	All Large Floods
Direct Pole Mount Arm	FLAM	All Large Floods